

Fluid Regulators

LOW PRESSURE



203831



214980



236449



830352



234272



234273



Part Number	Max Pressure	PSI Range	Max Flow	Max Vis In CPS	Wetted Parts	Type	Inlet	Outlet	Gauge Port	Gauge Included
204500	250	0-15	.75 gpm	500	Alum	Spring	3/8 F	3/8 M	1/4 F	Yes
206200	250	0-30	.75 gpm	500	Alum	Air	3/8 F	3/8 M	1/4 F	Yes
203831	250	0-60	3.0 gpm	1000	Alum	Spring	3/8 F	3/8 M	1/4 F	Yes
205425	250	0-60	3.0 gpm	1000	Alum	Spring	3/8 F	3/8 M	1/4 F	Yes
209030	250	5-100	2.0 gpm	1000	SS	Spring	3/8 F	3/8 M	1/4 F	Yes
204501	250	20-160	3.0 gpm	1000	Alum	Spring	3/8 F	3/8 M	1/4 F	Yes

Instruction manual 306563.

214980	250	0-30	3.0 gpm	1000	SS	Air	3/8 F	3/8 F	1/4 F	Yes
222115	300	20-160	3.0 gpm	300	SS	Spring	3/8 F	3/8 F	1/4 F	Yes
214895	250	5-100	3.0 gpm	1000	SS	Spring	3/8 F	3/8 F	1/4 F	No
214706	250	5-100	3.0 gpm	1000	SS	Spring	3/8 F	3/8 F	1/4 F	Yes
217314	250	20-160	3.0 gpm	1000	SS	Spring	3/8 F	3/8 F	1/4 F	Yes
221118	250	20-160	3.0 gpm	1000	SS	Spring	3/8 F	3/8 F	1/4 F	No

Instruction manual 307212.

236449	100	3-30	.50 gpm	1000	Acetal	Spring	1/4 F	1/4 F	1/4 F	Yes
241976	100	3-30	.50 gpm	1000	Acetal	Spring	1/4 F	1/4 F	1/4 F	No
236281	100	3-100	.50 gpm	1000	Acetal	Air	1/4 F	1/4 M	1/4 F	Yes
236216	100	20-100	.50 gpm	1000	Acetal	Spring	1/4 F	1/4 F	1/4 F	No
236450	100	20-100	.50 gpm	1000	Acetal	Spring	1/4 F	1/4 F	1/4 F	Yes

Composite construction. Instruction manual 308325.

830351	250	3-100	3.0 gpm	1000	SS	Air	3/8 F	1/4 F	None	No
830352	250	3-100	3.0 gpm	1000	SS	Air	3/8 F	1/4 F	None	No
830353	250	3-100	3.0 gpm	1000	SS	Air	3/8 F	1/4 F	None	No

830351 includes integrated dump valve. Quick flush design.

Instruction manual 308292.

234272	580	6-145	7.0 gpm	1000	SS	Air	3/8 F	3/8 F	1/8 BSPP	No
234256	580	6-145	7.0 gpm	1000	SS	Air	3/8 F	3/8 F	1/8 BSPP	No

Air controlled solvent/water based systems.

Instruction manual 309474.

234273	580	15-145	7.0 gpm	1000	SS	Spring	3/8 F	3/8 F	1/8 BSPP	No
234263	580	15-290	7.0 gpm	1000	SS	Spring	3/8 F	3/8 F	1/8 BSPP	No

Mechanical solvent/water based systems.

Instruction manual 309474.

234267	1015	145-725	9.8 gpm	1000	SS	Spring	3/8 F	3/8 F	1/8 BSPP	No
--------	------	---------	---------	------	----	--------	-------	-------	----------	----

Mechanical solvent/water based systems.

Instruction manual 309474.

Fluid Regulators

HIGH PRESSURE

Part Number	Max Pressure	PSI Range	Max Flow	Max Vis In CPS	Wetted Parts	Type	Inlet	Outlet	Gauge Port	Gauge Included
217576	3000	200-1000	3.5 gpm	500	CS	Spring	3/8 F	1/4 F	1/4 F	No
206661	3000	1000-3000	3.5 gpm	500	CS	Spring	3/8 F	1/4 F	1/4 F	No

Airless, solvent based systems.

Instruction manual 306878.



217576

222121	1500	150-1200	1.0 gpm	500	SS	Spring	1/4 F	1/4 F	-	No
240197	1500	150-1200	1.0 gpm	500	SS	Spring	1/4 F	1/4 F	1/4 F	Yes
240198	1500	150-1200	1.0 gpm	500	SS	Spring	1/4 F	1/4 F	1/4 F	Yes

Unique bottom replaceable cartridge.

Instruction manual 307886.



222121

238889	6000	500-3000	1.0 gpm	15000	SS	Spring	3/8 F	3/8 F	1/4 F	No
238890	6000	500-3000	1.0 gpm	15000	SS	Spring	3/8 F	3/8 F	1/4 F	Yes
238891	6000	3000-5000	1.0 gpm	15000	SS	Spring	3/8 F	3/8 F	1/4 F	No
238892	6000	3000-5000	1.0 gpm	15000	SS	Spring	3/8 F	3/8 F	1/4 F	Yes

Easy flush plug available.

Instruction manual 308647.



238889

238893	6000	500-4000	1.0 gpm	15000	SS	Air	3/8 F	3/8 F	1/4 F	No
238894	6000	500-4000	1.0 gpm	15000	SS	Air	3/8 F	3/8 F	1/4 F	Yes

Easy flush plug available.

Instruction manual 308647.



238893

961635	5000	250-4500	1.5 gpm	1000000	CS	Air	3/4 F	3/4 F	3/4 F	Yes
903958	5000	1000-4500	1.5 gpm	1000000	CS	Spring	3/4 F	3/4 F	3/4 F	Yes

Mastic fluid regulator.

Instruction manual 307517.



234266	5000	70-900	11.3 gpm	-	SS	Air	3/4 F	3/4 F	1/4 BSPP	No
234270	5000	300-2000	11.7 gpm	-	SS	Air	3/4 F	3/4 F	1/4 BSPP	No
234271	5000	600-4600	12.3 gpm	-	SS	Air	3/4 F	3/4 F	1/4 BSPP	No

Air controlled, high flow system.

Instruction manual 309475.



234266

234259	5000	600-3600	10.6 gpm	-	SS	Air	3/8 F	3/8 F	N/A	No
--------	------	----------	----------	---	----	-----	-------	-------	-----	----

Air controlled system.

Instruction manual 309475.



234260	2600	600-1500	8.1 gpm	-	SS	Spring	3/8 F	3/8 F	N/A	No
234264	5000	1300-3000	8.2 gpm	-	SS	Spring	3/8 F	3/8 F	N/A	No
234265	5000	1300-4000	9.2 gpm	-	SS	Spring	3/8 F	3/8 F	N/A	No

Water/solvent based system.

Instruction manual 309475.



234260

Back Pressure Fluid Regulators

LOW PRESSURE



Part Number	Max Pressure	PSI Range	Max Flow	Max Vis In CPS	Wetted Parts	Type	Inlet	Outlet	Gauge Port	Gauge Included
205122	180	0-180	2.0 gpm	1000	CS	Spring	3/8 M	3/8 F	1/4 F	Yes
237503	180	5-180	4.3 gpm	1000	SS	Spring	3/8 M	3/8 F	1/4 F	No
236770	180	5-180	4.3 gpm	1000	SS	Spring	3/8 M	3/8 F	1/4 F	Yes

Paint system.

Instruction manual 308401.



206019	180	0-180	15.0 gpm	1000	Alum	Spring	1" F	1" F	1/4 F	Yes
--------	-----	-------	----------	------	------	--------	------	------	-------	-----

High flow system.
Instruction manual 306770.



208997	180	0-180	15.0 gpm	1000	SS	Spring	1-1/4 F	1-1/4 F	1/4 F	Yes
916154	180	0-180	15.0 gpm	1000	SS	Spring	1-1/4 F	1-1/4 F	1/4 F	Yes
903508	180	0-180	15.0 gpm	1000	SS	Spring	1" F	1-1/4 F	1/4 F	Yes

High flow system.

Instruction manual 307107.



224486	180	5-200	6.0 gpm	1000	SS	Spring	1-1/2 F	1-1/2 F	1/4 F	No
223824	180	5-200	6.0 gpm	1000	SS	Spring	2 in. sanitary	2 in. sanitary	1/4 F	No

Low shear and mastics.

Instruction manual 308115.



234262	145	15-145	4.6 gpm	1000	SS	Spring	3/8 F	3/8 F	1/8 BSPP	No
234261	290	15-290	5.7 gpm	1000	SS	Spring	3/8 F	3/8 F	1/8 BSPP	No
234255	290	29-290	7.8 gpm	1000	SS	Spring	3/8 F	3/8 F	1/8 BSPP	No

Solvent/water based system.

Instruction manual 309474.



234257	145	15-145	4.6 gpm	1000	SS	Air	3/8 F	3/8 F	1/8 BSPP	No
--------	-----	--------	---------	------	----	-----	-------	-------	----------	----

Air controlled, low pressure system.
Instruction manual 309474.



234258	725	73-725	11.5 gpm	1000	SS	Spring	3/8 F	3/8 F	1/8 BSPP	No
--------	-----	--------	----------	------	----	--------	-------	-------	----------	----

Mechanical, mid range system.
Instruction manual 309474.

Back Pressure Fluid Regulators

HIGH PRESSURE

Part Number	Max Pressure	PSI Range	Max Flow	Max Vis In CPS	Wetted Parts	Type	Inlet	Outlet	Gauge Port	Gauge Included
222405	3000	0-1000	3.5 gpm	500	CS	Spring	1/4 F	1/4 F	1/4 F	No
206819	3000	1000-3000	3.5 gpm	500	CS	Spring	1/4 F	1/4 F	1/4 F	No
238926	3000	1000-3000	3.5 gpm	500	SS	Spring	1/4 F	1/4 F	1/4 F	No

High pressure, solvent coatings.

Instruction manual 306860.

234268	2500	600-1500	10.2 gpm	-	SS	Spring	3/8 F	3/8 F	-	No
234269	3400	1300-3000	13.1 gpm	-	SS	Spring	3/8 F	3/8 F	-	No

Solvent/water based.

Instruction manual 309475.

For information on gun mounted fluid regulators, please reference instruction manual 307016.



222405



234268

Fluid Gauges

Number	Range	Size	Connection	Mount	Case
187875	0-30 PSI	2-1/2"	1/4 NPTM	Bottom	SS
101176	0-60 PSI	2"	1/4 NPTM	Bottom	Chrome
176455	0-100 PSI	2-1/2"	1/4 NPTM	Bottom	Black
187874	0-100 PSI	2-1/2"	1/4 NPTM	Bottom	SS
187873	0-200 PSI	2-1/2"	1/4 NPTM	Bottom	SS
206171	0-200 PSI	2"	1/4 NPTM	Bottom	Black-Dampener
187876	0-300 PSI	2-1/2"	1/4 NPTM	Bottom	Black
208855	0-300 PSI	2"	1/4 NPTM	Bottom	SS-Liquid Filled with Dampener
118338	0-300 PSI	2"	1/8 BSPP	Back	Black
101696	0-1000 PSI	2"	1/4 NPTM	Bottom	Black
105770	0-1000 PSI	2-1/2"	1/4 NPTM	Bottom	SS-Liquid Filled
118339	0-1000 PSI	2"	1/8 BSPP	Back	Black
118340	0-1000 PSI	2"	1/4 BSPP	Back	Black
802072	0-1500 PSI	2-1/2"	1/4 NPTM	Bottom	Black
110182	0-2000 PSI	2-1/2"	1/4 NPTF	Bottom	SS-with Dampener
102397	0-3000 PSI	2"	1/4 NPTM	Back	Black
113641	0-3000 PSI	2-1/2"	1/4 NPTM	Back	SS-Liquid Filled
113654	0-5000 PSI	2"	1/4 NPTM	Back	SS-Liquid Filled
102814	0-5000 PSI	2-1/2"	1/4 NPTM	Bottom	SS-Liquid Filled
118341	0-5000 PSI	2"	1/4 BSPP	Back	



187874

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Call today for product information or to request a demonstration.

1.877.84GRACO (1-877-844-7226) or visit us at www.graco.com.

©2014 Graco Inc. Form No. 336834 Rev. C 06/14. Electronic only.

All other brand names or marks are used for identification purposes and are trademarks of their respective owners.

